

	Type	Hits	Search Text	DBs
1	BRS	50143	fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	17049	(socket or base) and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	21019	electric\$4 near (socket or base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	212532	electric\$4 with (socket or base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	10	electric\$4 with (socket or base) with (in or within) with (ballast near circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	4	(multi near chip) with (ballast near circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	(electric\$4 with (socket or base)) and ((multi near chip) with (ballast near circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	82	electric\$4 with (socket or base) with (ballast near circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	364211	electric\$4 with (socket or base or housing or (hollow near body))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	39	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	50166	fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy)) and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	170	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	209	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and ((thermal near (sink or epoxy)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	2	((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and ((thermal near (sink or epoxy)))) and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	2105	361/720,760.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	3	361/720,760.ccls. and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	2	361/720,760.ccls. and ((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	427	361/720,760.ccls. and (electric\$4 with (socket or base or housing or (hollow near body)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	578	361/720.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	27	361/720.ccls. and ((thermal near (sink or epoxy)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	5	361/720.ccls. and (thermal near epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	174/DIG32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	IS&R	0	(174/DIG32).CCLS.	USPAT
25	IS&R	0	("DIG0032").PN.	USPAT

	Type	Hits	Search Text	DBs
26	BRS	80	(electric\$4 with (socket or base or housing or (hollow near body))) and (thermal near epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	474	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	199	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy and (fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	3	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy and bulb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1428	315/58-63.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	190	315/58-63.ccls. and (fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	1429	315/58-63.ccls. (fluorescent near (lamp or bulb) and (circuit near board) and (thermal near epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	7	315/58-63.ccls. and (fluorescent near (lamp or bulb) and (circuit near board) and (compound or epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	3	("3662381" "4463282" "4739222").PN.	USPAT
36	BRS	10	5164635.URPN.	USPAT
37	BRS	3	("3662381" "4463282" "4739222").PN.	USPAT
38	BRS	4	("3987334" "4096450" "4459506" "4571526").PN.	USPAT
39	BRS	408	(circuit near board) with elements with (both near sides)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	847	(circuit near board) with components with (both near sides)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1	((circuit near board) with elements with (both near sides)) and 315/58-63.ccls. and (fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	5	("4503360" "5381073" "5545950" "5691598" "5961204").PN.	USPAT
43	BRS	0	6492773.URPN.	USPAT
44	BRS	1	((circuit near board) with components with (both near sides)) and 315/58-63.ccls. and (fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	(design near dependent near components) and (design near independent near components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	((circuit near board) with (filter near inductor) with (resonant near inductor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	((circuit near board) same (filter near inductor) same (resonant near inductor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	715	(circuit near board) same filter same (resona\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	45	(circuit near board) same filter same resona\$5 same switch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
50	BRS	3	(fluorescent near (lamp or bulb) and ((circuit near board) same filter same resona\$5 same switch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	11	(circuit near board) and (filter near inductor) and (resonant near inductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	7	361/720,760,736.ccls. and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	687	361/720,760,736.ccls. and (electric\$4 with (socket or base or housing or (hollow near body)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	272	174/260.ccls. and (electric\$4 with (socket or base or housing or (hollow near body)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	2	174/260.ccls. and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	7	439/620.ccls. and (fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	1	("6437502").PN.	USPAT
58	IS&R	1	("6637915").PN.	USPAT
59	IS&R	1	("6659616").PN.	USPAT
60	IS&R	1	("5164635").PN.	USPAT
61	BRS	4816	(circuit near board) with (heat near sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	0	((circuit near board) with (heat near sink)) and (compact near fluorescent near lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	((circuit near board) with (heat near sink)) and (compact near fluorescent near bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	27	((circuit near board) with (heat near sink)) and (fluorescent near lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	20020140368.URPN.	USPAT
66	BRS	0	20020140368.URPN.	USPAT
67	BRS	5	("4809136" "5021295" "5119466" "5733823" "6426874").PN.	USPAT
68	BRS	0	6633137.URPN.	USPAT
69	BRS	0	6633137.URPN.	USPAT
70	BRS	0	((heat near sink) with on with (circuit near board)) and (fluorescent near lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	5	((heat near sink) with (circuit near board)) same (fluorescent near lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	((thermal near sink) with (circuit near board)) same (fluorescent near lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	27	((heat near sink) with (circuit near board)) and (fluorescent near lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	IS&R	1	("6492773").PN.	USPAT
75	IS&R	13	((("6,459,215") or ("6,443,769") or ("6,064,155") or ("5,952,792") or ("5,703,440") or ("5,691,603") or ("5,653,527") or ("5,504,394") or ("5,485,057") or ("5,294,865") or ("5,128,590") or ("5,049,785") or ("5,030,890"))).PN.	USPAT
76	BRS	2986	362/260,264,263,294,373.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	1570	compact near fluorescent near (lamp or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	99	362/260,264,263,294,373.ccls. and (compact near fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
79	BRS	30	313/318.01,318.11,318.12.ccls. and (compact near fluorescent near (lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB